Date: Wed, 2 Jun 93 04:30:15 PDT

From: Info-Hams Mailing List and Newsgroup <info-hams@ucsd.edu>

Errors-To: Info-Hams-Errors@UCSD.Edu

Reply-To: Info-Hams@UCSD.Edu

Precedence: Bulk

Subject: Info-Hams Digest V93 #669

To: Info-Hams

Info-Hams Digest Wed, 2 Jun 93 Volume 93 : Issue 669

Today's Topics:

HP 48SX

Japanese version TH-77 mod needed

Send Replies or notes for publication to: <Info-Hams@UCSD.Edu> Send subscription requests to: <Info-Hams-REQUEST@UCSD.Edu> Problems you can't solve otherwise to brian@ucsd.edu.

Archives of past issues of the Info-Hams Digest are available (by FTP only) from UCSD.Edu in directory "mailarchives/info-hams".

We trust that readers are intelligent enough to realize that all text herein consists of personal comments and does not represent the official policies or positions of any party. Your mileage may vary. So there.

Date: Wed, 2 Jun 1993 08:26:51 GMT

From: swrinde!cs.utexas.edu!math.ohio-state.edu!cyber1.cyberstore.ca!van-bc!vanbc.wimsey.com!cs.ubc.ca!newsserver.sfu.ca!sfu.ca!tpang@network.UCSD.EDU

Subject: HP 48SX

To: info-hams@ucsd.edu

WFAUST@NOMVS.LSUMC.EDU (Wm. Bryant Faust, IV) writes: >Could you elaborate on cloning functions that are known to work on >computers for programming handhelds?

I'd like to but I don't know if I can still find the article, which I thought was posted here a while ago. If anyone has it, please send that again, or to him. Basically, the format is strict ASCII on a rather standard speed in a serial format, so you just need to open up the serial port by a term program, open a screen buffer, transmit the cloning feature over the mic/sp line (need cable made), then you have the file format of it, edit whatever you want, then you can download it back to the HT, with its cloning on receive, and it should have its settings changed. Anyone knows what models have this cloning features? (I thought my old FT23 has, but I forgot)>

>Bryant, N5GWF >WFAUST@NOMVS.LSUMC.EDU

Regards, David

In real life: David Tse E-mail: tpang@sfu.ca (Internet)

| Snail Mail: P.O. Box 26052, Richmond, B.C., V6Y 2BO, Canada

| Main computer: Amiga A3000/25, AMaxII, ZyXEL U-1496E, HP DeskJet PLUS

| Others: HP48SX, Amiga A1000 | Ouiz of the day: (5/29/93)

| Disclaimer: Any of the content here does not represent the view of any other bodies except David Tse.

!-----

Date: Wed, 2 Jun 1993 08:37:23 GMT

From: destroyer!cs.ubc.ca!newsserver.sfu.ca!sfu.ca!tpang@uunet.uu.net

Subject: Japanese version TH-77 mod needed

To: info-hams@ucsd.edu

wangsh@mhd1.moorhead.msus.EDU writes:

>I just got a very nice TH-77 from a friend, unfortuantely it is a >Japanese version. Is there any mod for this model? I know there is one >for TH-77A, but is it appliable to TH-77?

My TH-215 is a Japanese model, and was mod. to exactly the same functionality as the Th-215A without any additional hardware. Plus I also have the RX and TX extended: RX direct entry 141.000-162.995, using keyboard tricks, it can rx 140-169.995, TX is 141-162.995 (Note: out of band transmission to the air without additional qualification is not legal (in most countries) and in some countries, just ownership or possession is alrealy illegal, saying this as disclaimer, I guess:).

Back to the subject, the mod should be similar, but also possible one or more things to change. (My ex FT23 was a Japanese version, and was mod. also to extended freq. plus duplex op. too).

>Any input are appreciated!

>--

>Eric

>wangsh@mhd1.moorhead.msus.edu

Regards, David

End of Info-Hams Digest V93 #669 ***********